



Subject to Mumbai Jurisdiction

# STERLITE ISPAT INDIA

(AN ISO 9001:2015 CERTIFIED CO.)



**BUILDING A MORE  
COMPETITIVE INDUSTRIAL  
SECTORS!!!**



# REQUEST TO BUSINESS ALLIANCE

Dear Sir,

Our Company **STERLITE ISPAT INDIA** was established in the year and is primarily engaged in Stockiest Suppliers, Importers & Exporters of Stainless Steel Alloy Steel, Carbon Steel Pipes & Tubes, Sheet, Plates, Bars and Largest manufacturer of Pipe fittings. As per National & International Standard like ASTMBS, IS, DIN, ASME, ANSIMSS Etc Over a decade of progress have consistently made us realize that more than products, it is understanding the client's requirement and giving maximum services to the customer is what makes us stand apart from others.

**PIPES & TUBES** : 1" NB TO 36"NB  
**Size** : 1" NB TO 36"NB  
**Thickness** : SCH 10 TO SCH .XXS  
**Carbon Steel Grade** : ASTM A 106 GR.B  
**Stainless Steel Grade** : ASTM A 312 TP 304, 304L, 316, 316L 316H, 317, 317L 321, 347H 310, 310S, 904L  
**Alloy Steel Grade** : ASTM A 335 GR. P5, P11, P12, P22, P91/ ASTM A 213 GR. T11, T12, T22, T91

## PIPE FITTINGS & FLANGES

**Size** : 1" NB TO 36"NB.  
**Thickness** : SCH 10 TO SCH XXS  
**Stainless Steel Grade** : ASTM A 403 ASTM A 182 304 304L, 316 316L, 316H, 317, 317L 321, 347H, 310, 310S, 904L.  
**Carbon Steel Grade** : ASTM A 234 GR. WPB, A105.  
**Alloy Steel Grade** : ASTM A 234 GR. WP P5, P11, P12, P22, P91.

## SHEET, PLATE & COIL

**Thickness** : 1 MM TO 100 MM.  
**Size** : 1000/1250/1500MM X 2000/2500/5000/6000 MM LENGTH./ COIL.  
**Stainless Steel Grade** : ASTM 240 TP 304, 304L, 316, 316L, 316H 317 317L, 321, 347H, 310, 310S 904L  
**Alloy Steel Grade** : P5, P11, P12, P22, P91.

Each of our department's right from procurement production inventory, market, sales and services are fully atomized for a better supply chain management, so as to offer the best product quality and prompt service to our clients. Along with technological equipment manpower is also given special attention. All our professionals are highly dedicated and committed to their client's requirements. Our team of workers strives to provide quality service to you according to your specification. Over the years we have supplied & export to Many Industries in Prestigious Projects, Maintenance & In Shutdown, in Industries like Chemical\* Petrochemical Refineries \* Fertilizers \* Power Plant \* Nuclear Power Oil & Gas Refinery \* Paper \* Breweries Cement Sugar Oil Mills Mining Construction Shipbuilding \* Steel Plant Offshore Defense Ports Railways Engineering Co\* Government Org.

We are registered as approved Vendors with many reputed organizations such as L&T, GDC, NRL, BARC, BHEL, NPC, IFFCO, KRIBCO, MSEB, BHPV LGACL, and KCIL Etc. Under Third Party Inspection ICBDNV, Bax Counsel BV, IQC, NPCL, BHEL, Uhde, L&T, BARC, Alstom Etc. We value from a single piece of requirement to large turnkey projects to give MAXIMUM service to all. Testing Facilities available from Laboratory like \* Chemical Mechanical & Physical Micro Macro IGC (Pr. A, B, C, E) NACE \* Ultra \* Hardness Impact \* Hydrostatic Flattening Heat Treatment \* Bends Test X-Ray Spectro & Other Miscellaneous Test. Material can be supplied & Exports with Manufacturers Test Certificate / Laboratory Test Certificate from Government Approved Laboratory & with IBR Test Certificate under Third Party Inspection. Priority and Special Attention is given for urgent requirement to delivery the material. We invite International Manufacturers / Dealers for Liaison work in Indian Market and Indenting work for Indian Company in International Market. We will highly appreciate if you kindly register our name in your approved vendors list and favour us your enquiries as and when requirement arise.

We will be highly obliged if you kindly favour us with your Trial Order.

Thanking You and Looking Forward For Your Earliest Favorable Reply

Yours faithfully,

For **STERLITE ISPAT INDIA**

(Sales Department)



# COMPANY PROFILE



**NAME** : Sterlite Ispat India

**ADDRESS** : 1st Floor, Plot - 494, Office No. 2,  
Vithaldas, Maulana Azad Road, Goldeval, Girgaon,  
Mumbai - 400 004.

**TEL** : 022 6752 1224

**MOBILE** : +91 90047 50080 / +91 96498 85777

**EMAIL** : mumbaisterlite@gmail.com/  
sterliteispat@gmail.com/  
sales@sterliteispat.com

**Website** : [www.sterliteispat.com](http://www.sterliteispat.com)

**PAN NO.** : CPVPP0454D

**GSTIN** : 27CPVPP0454D1ZM

**BANK NAME** : ICICI BANK

**BANK ADDRESS** : KALAMBOLI

**NATURE OF CONCERN** : PROPRIETORSHIP


**NAME OF PROPRIETOR** : MR. MUKESH

**SUPPLY ITEM** : STOCKISTS & SUPPLIERS OF FERROUS &  
NON- FERROUS METALS S.S. GRADE 304, 304L / 316,  
316L, 310310S/409/409M/410/202/904 M.S. C.Sin Shape of Sheet Plates  
RodsPipes Fittings & ValveWire Mesh, Perforated Sheet, in all grade & En Series  
Hardox 400/500 Plate CS BG Plate 516. Gr. 70 Etc. Items Stockists of Suppliers.

**BRANCH OFFICE** : 36Pratap Nagar Chouraha, Chittorgarh Road,  
Bhavani Steel Furniture OppPratap HospitalUdaipurRajaysthan-313 001



# PRODUCT RANGE



## Buttweld Fittings

**Stainless Steel:** ASTM A403 WP 304/304L/304H/316/316L /317/317L/321/310/347/904L etc.

**Carbon Steel:** ASTM A234 WPB/A420 WPL3/A420 WPL6/ MSS-SP-75 WPHY 42/46/52/56/60/65/70

**Alloy Steel:** ASTM A234 WP1/WP5/WP9/WP11/WP22/WP91 etc.

**Duplex & Super Duplex Steel:** UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20

**Others:** Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

**Types:** Elbow, Tee, Reducer, Return Bends, Stub-Ends, Cap, Collar, Cross, Insert etc.

**Size:** 1/4" NB TO 32" NB. (Seamless & Welded)

**Wall Thickness:** Sch. 5S To Sch. XXS.



## Forged & Ferrule Fittings

**Stainless Steel:** ASTM A182 F304/304L/304H/316/316L/317/317L/321/310/347/ 904L etc.

**Carbon Steel:** ASTM A105/A694 F42/46/52/56/60/65/70/A350 LF3/A350 LF2.

**Alloy Steel:** ASTM A182 F1/F5/F9/F11/F22/F91 etc.

**Duplex & Super Duplex Steel:** UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20

**Others:** Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

**Types:** Elbow, Tee, Union, Cross, Coupling, Cap, Bushing, Plug, Swage Nipple, Welding Boss, Hexagon Nipple, Barrel Nipple, Welding Nipple, Parraler Nipple, Street Elbow, Hexagon Nut, Hose Nipple, Bend, Adapter, Insert, Weldolet, Elbowlet, Sockolet, Thredolet, Nipolet, Letrolet, etc.

**Size:** 1/4" NB TO 4" NB. (Socketweld & Threaded)

**Class:** 3000#, 6000#, 9000#.



## Flanges

**Stainless Steel:** ASTM A182 F304/304L/304H/316/316L/317/317L/321/310/347/904L etc.

**Carbon Steel:** ASTM A105/A694 F42/46/52/56/60/65/70/A350 LF3/A350 LF2, etc.

**Alloy Steel:** ASTM A182 F1/F5/F9/F11/F22/F91 etc.

**Duplex & Super Duplex Steel:** UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20

**Others:** Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

**Types:** Weldneck, Slipon, Blind, Socket Weld, Lap Joint, Spectacles, Ring Joint, Oriface, Long Weldneck, Deck Flange, RTJ, Flange

**Size:** 1/2" NB TO 24" NB.

**Class:** 150#, 300#, 400#, 600#, 900#, 1500# & 2500#.



## Fasteners

**Stainless Steel:** ASTM A182 F304/304L/304H/316/316L/317/317L/321/310/347/ 904L etc.

**Carbon Steel:** ASTM A105/A694 F42/46/52/56/60/65/70/A350 LF3/A350 LF2.

**Alloy Steel:** ASTM A182 F1/F5/F9/F11/F22/F91 etc.

**Duplex & Super Duplex Steel:** UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20

**Other:** Stainless Steel, Nickel Alloys, Carbon Steel, Alloy Steel, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bimuth, Aluminium, High Speed Steel, Zinc, Lead, Etc.

**Types of Bolts (Fasteners) :** Hex Head Bolts Heavy Hex Head Bolts Machine Bolts Socket Head Bolts Hex Flange Bolts Lifting Eye Bolts Lag Bolts Foundation Bolts

**Types of Stud Bolts (Fasteners) :** Full Threaded Studs Tap End Studs Double End Studs Stud Bolt Reduced Shank Flange Stud Bolts Weld Studs

**Types of Nuts (Fasteners) :** Hex Nuts Heavy Hex Nuts Jam Nuts Coupling Nuts Hex Cap Nuts Hex Flange Nuts Hex Weld Nuts Square Nuts Square Weld Nuts Square Thin Nuts Acorn Nuts T-Slot Nuts Nylock Nuts Nylock Jam



## Pipes & Tubes

**Stainless Steel:** ASTM A312 TP 304/304L/304H/316/316L/317/317L/321/310/347/904L etc.

**Carbon Steel :** ASTM A53 GR. B/ A106 GR. B/ API 5L GRADE B/ API 5L

GR.X42/46/52/56/60/65/70/

**Low Temperature, Carbon Steel:** A333 Gr.3/Gr.6 etc.

**Alloy Steel:** ASTM A335 GR. P1/P5/P9/P11/P22/P91 etc.

**Nickel Alloys:** High Speed Steel, Monel, Nickel, Inconel, Hastalloy, Titanium, Tantalum, Bismuth, Aluminium,

**Duplex & Super Duplex Steel:** UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20

**Non Ferrous Metal:** Copper, Brass, Bronze, Zinc, Lead etc.

**Types:** Round, Square, Rectangular.

**Size:** Upto 24" NB. (Seamless & Welded)

**Wall Thickness:** Sch. 5S to Sch. XXS



## Sheets, Plates & Coil

**Stainless Steel Coils, Sheets & Plates** as per ASTM A 240 Gr. TP 304, 304L, 304LN, 309, 3095, 309H, 310S, 310H, 316,316L, 316H, 316LN, 316TI, 317, 317L, 321, 321H, 347, 347H, 348, 348H, 409, 410, 420, 430 etc.

**Alloy Steel Plates** as per ASTM A 387 Gr. 2, 5, 9, 11, 12 & 22 in class 1 & 2, ASTM A 204, Gr. A & B, DIN 17175 Gr. 15Mo3 & 16M03 with IBR Test Certificate.

**Carbon Steel / Boiler Quality Plates** as per IS 2062 Gr. A, B & C, IS 2002 Gr. 1& 2, ASTM A516 Gr. 60 & 70 ASTM A515 Gr. 70.

**High Nickel Alloy :** Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Brass, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

**Duplex & Super Duplex Steel:** UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20  
**Types:** Sheet, Plates, Strips, etc.



Subject to Mumbai Jurisdiction

# STERLITE ISPAT INDIA

(AN ISO 9001:2015 CERTIFIED CO.)

## MANUFACTURING

### BUTT WELD / SOCKET WELD / THREADED FITTING & FLANGES



This is to introduce ourselves as the most reliable outsourcing partners for manufacturing of butt welding pipe fittings, socket weld, pipe fittings, flanges & tubular components in all kinds of steel. Our panel of experienced manufacturers ensures excellent quality fittings meeting exacting standards of National & International quality.

These Pipe Fitting are manufactured from ferrous metals such as Carbon Steel, Alloy Steel, Low Temperature Carbon Steel & Stainless Steel. Both Seamless and E.R.W. Pipe Fittings are Produced by our special manufacturing process involving either hot or cold forming. We are fully capable of manufacturing Pipe fittings made to customer's specifications in terms of type, dimensions, material & quantity under any third party inspection.

These Pipe Fittings are perfectly round, rugged, leak proof, corrosion resistant (Where ever required), meeting all the requirements to ASA/BS/DIN/ISI codes. These quality fittings extend the life of piping systems, facilitate direct pipe welding, permit compact installations & reduce the space necessary for installing a piping network.

## FACILITIES

- Hydraulic Press
- Oil Fired Furnace with Temp
- Universal Testing machine
- Hardness Tester
- Chemical laboratory
- Hacksaw cutting Machines
- Lathe Machine
- Plate rolling machine
- Grinding machines
- Drilling machines
- Motor generator welding set
- AC welding sets
- Computer & Software
- DC rectifier welding sets



Subject to Mumbai Jurisdiction

**STERLITE ISPAT INDIA**

(AN ISO 9001:2015 CERTIFIED CO.)

## ANSI B 36.19 S.S. Pipe Dimension in MM & Weight Per Kg.

Nominal Pipe Size		Outside Diameter	Schedule 5 S		Schedule 10 S		Schedule 20 S		Schedule 40 S		Schedule 80 S		Schedule 160 S		XXS	
mm	inch	mm	WT mm	WEIGHT(KGM)	WT mm	WEIGHT(KGM)	WT mm	WEIGHT(KGM)	WT mm	WEIGHT(KGM)	WT mm	WEIGHT(KGM)	WT mm	WEIGHT(KGM)	WT mm	WEIGHT(KGM)
3	1/8	10.3	1.2	0.2	1.24	0.28	1.5	0.33	1.73	0.37	2.41	0.47	-	-	-	-
6	1/4	13.7	1.2	0.37	1.65	0.49	2	0.58	2.24	0.63	3.02	0.8	-	-	-	-
10	3/8	17.1	1.2	0.47	1.65	0.63	2	0.74	2.31	0.84	3.2	1.1	-	-	-	-
15	1/2	21.3	1.65	0.8	2.11	1	2.3	1.07	2.77	1.27	3.73	1.62	4.75	1.94	7.47	2.55
20	3/4	26.7	1.65	1.03	2.11	1.28	2.55	1.52	2.87	1.69	3.91	2.2	5.56	2.9	7.82	3.64
25	1	33.4	1.65	1.3	2.77	2.09	2.55	1.94	3.38	2.5	4.55	3.24	6.35	4.24	9.09	5.45
32	1 1/4	42.2	1.65	1.65	2.77	2.7	3	2.9	3.56	3.39	4.85	4.47	6.35	5.61	9.7	7.77
40	1 1/2	48.3	1.65	1.91	2.77	3.11	3	3.55	3.68	4.05	5.08	5.41	7.14	7.25	11.1	10.18
50	2	60.3	1.65	2.4	2.77	3.93	3	4.24	3.91	5.44	5.54	7.48	8.74	11.11	11.07	13.44
65	2 1/2	73	2.11	3.69	3.05	5.26	4	6.81	5.16	8.63	7.01	11.41	9.53	14.91	14.02	20.39
80	3	88.9	2.11	4.51	3.05	6.45	4	8.37	5.49	11.29	7.62	15.27	11.1	21.3	15.24	27.68
100	4	114.3	2.11	5.84	3.05	8.36	4.5	12.18	6.02	16.07	8.56	22.32	13.49	33.54	17.12	41.03
125	5	141.3	2.77	9.47	3.4	11.57	5	16.8	6.55	21.8	9.53	30.97	15.88	49.11	19.05	57.43
150	6	168.3	2.77	11.32	3.4	13.84	6.35	25.36	7.11	28.26	10.97	42.56	18.25	67.53	2.95	79.22
200	8	219.1	2.77	14.79	3.76	19.96	6.35	33.31	8.18	42.55	12.7	64.64	23.01	111.27	22.23	107.92
250	10	273	3.4	22.63	4.19	27.28	6.35	41.77	9.27	60.3	12.7	96.01	28.58	172.33	25.4	155.15
300	12	323.8	3.96	31.25	4.57	36	6.35	49.7	9.53	73.88	12.7	132.05	33.32	238.76	25.4	186.97
350	14	355.6	3.96	34.36	4.78	41.3	7.92	67.8	11.13	94.59						
400	16	406.4	4.19	41.56	4.78	47.29	7.92	77.83	12.7	123.3						
450	18	457.2	4.19	46.81	4.78	53.26	7.92	87.71	14.27	155.8						
500	20	508	4.78	59.25	5.54	68.61	9.53	117.14	15.09	183.42						
600	24	610	5.54	82.47	6.35	94.45	9.53	141.2	17.48	255.41						

ASTMA 312 TP 304

ASTMA 312 TP 316L

ASTMA 312 TP 317L

## ANSI B 36.19 S.S. Pipe Dimension in MM & Weight Per Kg.

Grade	Chemical Composition %									Mechanical Properties, min							
	C Max	Si Max	Mn Max	P Max	S Max	Ni	Cr	MO	Other	Tensile Strength min. kal(Mpa)	Yield Point Kal(Mpa)	Elongation % (G.L.: 2in or 1mm)			Hardness Test Max		
												Full Section	Stnp Specimen	Round Specimen	Brinell	Rockwell	
304	0.08	1	2	0.045	0.03	8.00-11.0	18.0-20.0	-	-	75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
304L	0.035	1	2	0.045	0.03	8.00-13.0	18.0-20.0			70(485)	25(170)	35	35 56T + 17.50	28	192	B 90	
304H	0.04-0.10	1	2	0.045	0.03	8.00-11.0	18.0-20.0			75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
316	0.08	1	2	0.045	0.03	11.014.0	16.0-18.0	2.0/3.0		75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
316L	0.035	1	2	0.045	0.03	10.0-14.0	16.0-18.0	2.0/3.0		70(485)	25(170)	35	35 56T + 17.50	28	192	B 90	
316H	0.04-0.10	1	2	0.045	0.03	11.014.0	16.0-18.0	2.0/3.0		75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
316Ti	0.08	0.75	2	0.045	0.03	10.0-12.0	16.0-18.0	2.0/3.0	Ti5xC% <0.70	75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
317L	0.035	1	2	0.045	0.03	11.0-15.0	18.0-20.0	3.0/4.0		75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
309S	0.08	1	2	0.045	0.03	12.0-15.0	22.0-24.0	0.75		75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
310S	0.08	1	2	0.045	0.03	19.0-22.0	24.0-26.0	0.75		75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
310H	0.04-0.10	1	2	0.045	0.03	19.0-22.0	24.0-26.0			75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
321	0.08	1	2	0.045	0.03	9.0-12.0	17.0-19.0		Ti5xC% <0.70	75(515)	30(205)	35	35 56T + 17.50	28	192	B 90	
312H	0.04-0.10	1	2	0.045	0.03	9.0-12.0	17.0-19.0		Ti14xC% <0.60	75(515)	30(205)	35	35.56T	28	17.50	192	B 90
347	0.08	1	2	0.045	0.03	9.0-13.0	17.0-19.0		Nb, Ta ox C% <1	75(515)	30(205)	35	35.56T	28	17.50	192	B 90
347H	0.04-0.10	1	2	0.045	0.03	9.0-13.0	17.0-19.0		Nb, Ta: 8xC% <1	75(515)	30(205)	35	35.56T	28	17.50	192	B 90





Subject to Mumbai Jurisdiction

**STERLITE ISPAT INDIA**

(AN ISO 9001:2015 CERTIFIED CO.)



## WEIGHT & THICKNESS OF S.S. STEEL GAUGE PIPES

SIZE	O. D. IN MM	10G (3.25) [0.128"]	12 G (2.64) [0.104"]	14 G (2.03) [0.080"]	16 G (1.62) [0.064"]	18 G (1.21) [0.048"]	20 G (0.91) [0.036"]	22 G (0.71) [0.028"]
1/4"	6.35	0.075	0.07	0.065	0.058	0.046	0.037	0.03
5/16"	7.93	0.114	0.105	0.089	0.079	0.06	0.048	0.038
3/8"	9.52	0.152	0.135	0.113	0.097	0.08	0.058	0.046
1/2"	12.7	0.226	0.2	0.157	0.134	0.105	0.079	0.063
3/4"	19.05	0.386	0.326	0.256	0.215	0.161	0.124	0.097
1"	25.4	0.541	0.45	0.351	0.294	0.218	0.167	0.131
1 1/4"	31.75	0.696	0.58	0.448	0.375	0.275	0.2	0.162
1 1/2"	38.1	0.851	0.7	0.542	0.452	0.332	0.25	0.196
2"	50.8	1.161	0.96	0.733	0.607	0.447	0.336	0.263
2 1/2"	63.5	1.472	1.21	0.924	0.792	0.562		
3"	76.2	1.782	1.46	1.115	0.924	0.676		
4"	101.6	2.403	1.971	1.497	1.239	0.905		
5"	127	3.023	2.477	1.879	1.554	1.134		

## DIMENSIONS & NOMINAL WEIGHT OF BLACK STEEL PIPES IN ACCORDANCE WITH IS 1239

Nominal Bore		Outside Diameter		Light			Medium			Heavy		
				Thickness	Weight	Thickness	Weight	Thickness	Weight			
n Inch	In MM	In	MM	In	MM	Kg./Mtr.	In	MM	Kg./Mtr.	In	MM	Kg./Mtr.
1/8"	6 mm	0.406	10.32	0.072	1.8	0.361	0.08	2	0.407	0.104	2.65	0.493
1/4"	8 mm	0.532	13.49	0.072	1.8	0.517	0.092	2.35	0.65	0.116	2.9	0.769
3/8"	10 mm	0.872	17.1	0.072	1.8	0.674	0.092	2.35	0.852	0.116	2.9	1.02
1/2"	15 mm	0.844	21.43	0.08	2	0.952	0.104	2.65	1.22	0.128	3.25	1.45
3/4"	20 mm	1.094	27.2	0.092	2.35	1.41	0.104	2.65	1.58	0.128	3.25	1.9
1"	25 mm	1.312	33.8	0.104	2.65	2.01	0.128	3.25	2.44	0.16	4.05	2.97
1 1/4"	32 mm	1.656	42.9	0.104	2.65	2.58	0.128	3.25	3.14	0.16	4.05	3.84
1 1/2"	40 mm	1.906	48.4	0.116	2.90	3.25	0.128	3.25	3.61	0.16	4.05	4.43
2"	50 mm	2.375	60.3	0.116	2.9	4.11	0.144	3.65	5.1	0.176	4.47	6.17
2 1/2"	65 mm	3.004	76.2	0.126	3.25	5.84	0.144	3.65	6.61	0.176	4.85	7.9
3"	80	3.5	88.9	128	3.25	6.81	0.16	4.05	8.47	0.192	5.4	10.1
4"	100 mm	4.5	114.3	144	3.65	9.89	0.176	4.5	12.1	0.212	5.4	14.4
5"	125 mm	5.5	139.7				0.192	4.85	16.2	0.212	5.4	17.8
6"	150 mm	6.5	165.1				0.192	4.85	19.2	0.212	5.4	21.2



Subject to Mumbai Jurisdiction

# STERLITE ISPAT INDIA

(AN ISO 9001:2015 CERTIFIED CO.)

**Stockist & Supplier of: Ferrous & Non Ferrous Metals**

**Grade: 304, 304L, 316, 316L, 310, 310S, 409, 409M, 410, 202, 904, etc.**

**Stainless Steel, Carbon Steel, Alloy Steel** Flanges & Pipe Line Fittings, Valve, Wire Mesh, Perforated Sheet, Plate, Coil, Nut Bolts, Round Bars, Hex Bars, Square Bars, Wire, Aluminium, Circle, Patta, Strips, Angle, Hardox 400/500 Plate CS BG Plate 516,. Gr. 70, etc.

**Contact Person : Mr. Mukesh - 9004750080 / 9649885777**

**1st Floor, Plot - 494, Room No.2, Vithaldas House,  
Maulana Azad Road, Goldeval, Girgaon, Mumbai - 400 004.**

**E-mail: mumbaisterlite@gmail.com / sterliteispat@gmail.com / sales@sterliteispat.com**

**Website : www.sterliteispat.com**

**Branch Office: 36, Pratap Nagar Chouraha, Chittorgarh Road, Bhavani Steel Furniture, Opp. Pratap Hospital, Udaipur, Rajasthan - 313001.**